



Southernropes (Pty) Ltd

*4 Beach Road
Woodstock, Cape Town
South Africa*


www.southernropes.com

Southernropes (Pty) Ltd

We live by our core values. They give us purpose and let us know the direction the company is heading.

High quality products

Founded in 1984, Southern Ropes (Pty) Ltd, a privately owned South African company, has been in business for the last 40 years manufacturing high-quality synthetic ropes and braided cords. Our products are used in many of the world's leading industries in a variety of critical applications where quality standards are paramount.



Our factory in Woodstock is based at the foot of the beautiful Table Mountain and overlooks Cape Town harbour which allows for easy access to the major ports, airports, and national highways.

We make use of only the best German machines for the manufacturing of our top quality ropes.

With facilities in South Africa

and the United Kingdom, we ensure that your orders reach you anywhere on the globe.

Some of the main markets that we supply are Australia, United Kingdom and the United States of America.

Our staff are trained in every aspect of the rope making process and ensure a quality product is supplied to you everytime.

Super-12

Standard Range:

Diameter: 1 - 105mm
Larger diameters available on request


Colour: Silver-Grey (standard)
Other colour available on request

Technical:

Material: HMPE
Construction: 12-Strand Single Braid

* Heat-set with coating

Available in 3 constructions:
Single strand (1 - 9 mm)
Double strand (10 - 60 mm)
Braid-on-braid (64 - 105 mm)



Super Braids

Standard Range:

Diameter: 4 - 36 mm
Colour: Solid & Mottle

Larger diameters available on request
Additional: Abrasion cover

Technical:

Core: Super-12 HMPE
Cover: HT Polyester Braid
Construction: Double Braid



Winch Lines

Standard Range:

Diameter: 1 - 105 mm
Colour: Silver-Grey
Optional: Larger diameters available
Thimble or Soft Eye
Chafe Cover on Eye
(On Request)

Technical

Material: HMPE
Construction: 12-Strand
Single Braid



Strops

Standard Range:

MBL: 10 - 800 Tons
Length: 1 - 100 metres
(Break Load Dependant)
Additional: HMPE Abrasion Cover
Eye Chafe Guard (removable)

Technical:

Material: HMPE
Body Cover: Braided HMPE
Eye Cover: Braided Polyester or HMPE



Soft Shackles

Standard Range:

Break Load: 2 - 600 Tons
Colour: Silver-Grey
Optional: HMPE Abrasion Cover

Industrial shackles are made on request and to specification.

Technical:

Material: HMPE
Construction: 12-Strand Single Braid
Spliced Eyes

* Heat-set with coating



Lifting Slings

Standard Range:

Break Load: 1 - 50 Tons

Additional: Abrasion cover

Technical

Material: HMPE



Endless Rounds

Standard Range:

Diameter: 1 - 104 mm

Larger diameters available
on request

Colour: Silver-Grey (Standard)

Other colours available
on request

Standard Range:

Material: HMPE

Construction: 12-Strand Single
Braid

* Heat-set with coating



Whoopie Slings

Standard Range:

Break Load: 1 - 100 Tons

Colour: Silver-Grey

Additional: Abrasion Cover over eyes

Technical:

Material: HMPE

Eye Cover: Braided Polyester



D-Lite Shackle

Standard Range:

WLL: 25 - 100 Tons

MBL: 125 - 500 Tons

Additional: Abrasion Cover

Technical:

Material: HMPE

Construction: HMPE Cover

* Heat-set with coating



Dog-Bone Shackle

Standard Range:

Break Load: 25 - 100 Tons

MBL: 125 - 500 Tons

Technical:

Material: HMPE

Construction: With or Without Cover

* Heat-set with coating



Southernropes (Pty) Ltd



**BUREAU
VERITAS**



CONTACT:

Tel: +27 21 448 4978
sales@sropes.co.za
customercare@sropes.co.za

ADDRESS:

4 Beach Road
Woodstock, Cape Town
South Africa